

Work Order ID 125071

Tuesday, October 07, 2014 10:34:36 AM

125071

Page 1

Item ID: D139-816-011

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Lightweight Interior Ceiling Panel

Start Date: 10/21/14 Start Qty: 1.00

1

Cust Item ID:

Required Date: 10/31/14 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: MLJDate: 14-10-07

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

DSI9686

A

DSI9691

A

IIN-D139-816

D

MLJ 14-11-06

100

Document Control

0.00

100

DC

DOCUMENT CONTROL

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy blue file & type labels as per PPP D139-816-011 CHG005

DAS

46

9-89

JAN 30 2015

110

Pick Kit

0.00

110

Packaging

Memo

0.00

Packaging

DAS

26

9-89

NOV 27 2014

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Work Order ID 125071

Tuesday, October 07, 2014 10:34:36 AM

125071

Page 2

Item ID: D139-816-011

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Lightweight Interior Ceiling Panel

Start Date: 10/21/14 Start Qty: 1.00

1

Cust Item ID:

Required Date: 10/31/14 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.00				(1x)	DAS 46	JAN 30 2015	
Quality Control							9-89		
130		0.00							
130	Packaging								
Packaging	Memo	0.00				(1x)	DAS 46	JAN 30 2015	
Packaging	Package as per PPP D139-816-011 Location: _____ * Sold	Identify and Stock					9-89		
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

MCS 1502-02

(H522)

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Tuesday, October 07, 2014 10:34:33 AM

Page 1

Work Order ID: 125071

125071

Parent Item: D139-816-011

D139-816-011

Parent Item Name: Lightweight Interior Ceiling Panel

Start Date: 10/21/14

Required Date: 10/31/14

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev A 12/05/07 New Release DL
IPP Rev. B 12/11/08 Update dwg. DL
Dwg. Update 13/07/09 DL verf:DD
PER IIN REV.D DD VERF:JFS
DSI9686 JLM VERIFIED BY:DD

IPP Rev. C
IPP REV:D 13.12.23 AS
IPP REV E 14.04.01 AS PER

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4634-041 *D4634-041* Fwd, Center Ceiling Panel Assembly	DAS 46 9-89	Manufactured	No			110	Each	0.0000	DAS 001 9-89 **	①			
D4634-043 *D4634-043* Middle, Center Ceiling Panel Assembly	DAS 46 9-89	Manufactured	No			110	Each	0.0000	DAS 001 9-89 **	①			
D4634-045 *D4634-045* Aft, Center Ceiling Panel Assembly	DAS 46 9-89	Manufactured	No			110	Each	0.0000	DAS 001 9-89 **	①			
D4635-041 *D4635-041* Fwd Ceiling Panel Assembly, LH	DAS 46 9-89	Manufactured	No			110	Each	0.0000	DAS 001 9-89 **	①			
D4635-042 *D4635-042* Fwd Ceiling Panel Assembly, RH	DAS 46 9-89	Manufactured	No			110	Each	0.0000	DAS 001 9-89 **	①			
D4635-043 *D4635-043* Aft Ceiling Panel Assembly, LH	DAS 46 9-89	Manufactured	No			110	Each	0.0000	DAS 001 9-89 **	①			
D4635-044 *D4635-044* Aft Ceiling Panel Assembly, RH	DAS 46 9-89	Manufactured	No			110	Each	0.0000	DAS 001 9-89 **	①			

B125119
B125104
B125335
B125339
B111179
B125328
B125385

DAS 26 9-89
DAS 26 9-89
DAS 26 9-89
DAS 26 9-89
DAS 26 9-89
DAS 26 9-89
DAS 26 9-89

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Tuesday, October 07, 2014 10:34:34 AM

Page 2

Work Order ID: 125071

125071

Parent Item: D139-816-011

D139-816-011

Parent Item Name: Lightweight Interior Ceiling Panel

Start Date: 10/21/14

Required Date: 10/31/14

Start Qty: 1.00

Required Qty: 1.00

D4636-043 Manufactured No

110 Each

69.0000

16 16

DAS
26
9-89

D4636-043

DAS
46
9-89

Receptacle Bracket Assembly

Location

Loc Qty

Loc Code

st113

69

124109

69

110 Each

35.0000

10 10

DAS
26
9-89

D4636-11 Manufactured No

D4636-11

DAS
46
9-89

Bracket

Location

Loc Qty

Loc Code

st113

35

124272

35

110 Each

37.0000

16 16

DAS
26
9-89

D4636-5 Manufactured No

D4636-5

DAS
46
9-89

Bracket

Location

Loc Qty

Loc Code

ST114

37

124298

37

110 Each

2.0000

4 4

DAS
26
9-89

D4636-7 Manufactured No

D4636-7

DAS
46
9-89

Retainer Plate

Location

Loc Qty

Loc Code

ST112

2

122747

2

DAS
26
9-89

Tuesday, October 07, 2014 10:34:34 AM

Shop Packet Print

Page 2

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge	☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--	--

Picklist Print

Tuesday, October 07, 2014 10:34:34 AM

Page 3

Work Order ID: 125071

125071

Parent Item: D139-816-011

D139-816-011

Parent Item Name: Lightweight Interior Ceiling Panel

Start Date: 10/21/14

Required Date: 10/31/14

Start Qty: 1.00

Required Qty: 1.00

D4636-9

Manufactured No

110

Each

31.0000

(1) 1

D4636-9

DAS
46

Template

9-89

**

SP

Location

Loc Qty

Loc Code

st113

31

117653

1

124315

30

D4648-1

Manufactured No

110

Each

15.0000

(1) 1

D4648-1

DAS
46

Template

9-89

**

SP

Location

Loc Qty

Loc Code

ST114

15

117658

10

119840

5

D4653-041

Manufactured No

110

Each

4.0000

(6) 6

D4653-041

DAS
46

Vent Manifold Assembly

9-89

**

125364 SP

Location

Loc Qty

Loc Code

ST115

4

124415

4

D4653-11

Manufactured No

110

Each

8.0000

(6) 6

D4653-11

DAS
46

Clamp

9-89

**

125405 SP

Location

Loc Qty

Loc Code

ST115

8

124468

8

NOV 28 2014

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Tuesday, October 07, 2014 10:34:34 AM

Page 4

Work Order ID: 125071

125071

Parent Item: D139-816-011

D139-816-011

Parent Item Name: Lightweight Interior Ceiling Panel

Start Date: 10/21/14

Required Date: 10/31/14

Start Qty: 1.00

Required Qty: 1.00

D4664-7 Manufactured No

110 Each

18.0000

(3) (3)

**

DAS
26
9-89

D4664-7 DAS
Spacer 46
9-89

Location

Loc Qty

Loc Code

ST116

18

114887

18

D4712-043 Manufactured No

110 Each

5.0000

(2) 2

**

125380 SP

DAS
26
9-89

D4712-043 DAS
Bracket Assembly 46
9-89

Location

Loc Qty

Loc Code

ST118

5

119847

5

D4716-1 Manufactured No

110 Each

0.0000

(2) 2

**

125472 SP

DAS
26
9-89

D4716-1 DAS
Duct Hose 46
9-89

D4716-3 Manufactured No

110 Each

0.0000

(4) 4

**

125473 SP

DAS
26
9-89

D4716-3 DAS
Duct Hose 46
9-89

D4716-5 Manufactured No

110 Each

0.0000

(6) 6

**

125474 SP

DAS
26
9-89

D4716-5 DAS
Duct Hose 46
9-89

D4728-057 Manufactured No

110 Each

13.0000

(1) (1)

**

SP

DAS
26
9-89

D4728-057 DAS
Ps7J1 Jumper 46
9-89

Location

Loc Qty

Loc Code

MF

12

117935

12

MF5

1

111210

1

1x

NOV 28 2014

Tuesday, October 07, 2014 10:34:34 AM

Shop Packet Print

Page 4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Tuesday, October 07, 2014 10:34:34 AM

Page 5

Work Order ID: 125071

125071

Parent Item: D139-816-011

D139-816-011

Parent Item Name: Lightweight Interior Ceiling Panel

Start Date: 10/21/14

Required Date: 10/31/14

Start Qty: 1.00

Required Qty: 1.00

D4728-063

Manufactured No

110

Each

13.0000

D4728-063

Cabin Temp Sensor Jumper Assembly

DAS
46
9-89

**



DAS
26
9-89

Location

Loc Qty

Loc Code

MF5

12

117938

12

ST119

1

116318

1

D4730-020-035

Manufactured No

110

Each

59.0000

D4730-020-035

Velcro Strip 2.0W/ X 3.5L

DAS
46
9-89

**

(24) (24)

B125419



DAS
26
9-89

Location

Loc Qty

Loc Code

ST121

1

114738

1

ST421

58

124487

58

D5032-1

Manufactured No

110

Each

37.0000

D5032-1

Doubler

DAS
46
9-89

**

(16) (16)

B125200



DAS
26
9-89

Location

Loc Qty

Loc Code

ST129

2

111811

1

121025

1

ST131

35

124273

35

D5032-3

Manufactured No

110

Each

43.0000

D5032-3

Doubler

DAS
46
9-89

**

(16) (16)

NOV 27 2014

DAS
26
9-89

B5032



Location

Loc Qty

Loc Code

ST131

43

124158

43

Tuesday, October 07, 2014 10:34:35 AM

Shop Packet Print

Page 5

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Crosstube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐
--	--	---

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Tuesday, October 07, 2014 10:34:35 AM

Page 6

Work Order ID: 125071

125071

Parent Item: D139-816-011

D139-816-011

Parent Item Name: Lightweight Interior Ceiling Panel

Start Date: 10/21/14

Required Date: 10/31/14

Start Qty: 1.00

Required Qty: 1.00

2351-20-21-C3C

Purchased

No

110

Each

222.0000

16 16

2351-20-21-C3C

DAS

46

STUD

9-89

Location

Loc Qty

Loc Code

ST396

222

M128068

222

50-009-2

Purchased

No

100

Each

181.0000

16 16

50-009-2

DAS

46

Grommet

9-89

Location

Loc Qty

Loc Code

MF5

8

m128022

8

ST378

173

122594

1

m128022

9

m128047

163

AN970-3

Purchased

No

110

Each

358.0000

10 10

AN970-3

DAS

46

Washers

9-89

Location

Loc Qty

Loc Code

ST329

200

m129630

200

ST508

158

m127432

6

m128057

152

DAS
26
9-89

NOV 27 2014

DAS
26
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Tuesday, October 07, 2014 10:34:35 AM

Page 7

Work Order ID: 125071

125071

Parent Item: D139-816-011

D139-816-011

Parent Item Name: Lightweight Interior Ceiling Panel

Start Date: 10/21/14

Required Date: 10/31/14

Start Qty: 1.00

Required Qty: 1.00

BT1.5I-M Purchased No

110 Each

1,105.000 24 24

RT1 5I-M

DAS
46
9-89

Tie Wrap

**

Location

Loc Qty

Loc Code

ST264

1105

123742
m128238

201

904

24X

BT3LH-L Purchased No

110 Each

280.0000 12 12

***RT3I H-I ***

DAS
46
9-89

Tie Wrap

**

Location

Loc Qty

Loc Code

CCK15

280

m128238

280

12X

MS21042L3 Purchased No

110 Each

1,862.000 35 35

MS21042L3

DAS
46
9-89

Nut

**

Location

Loc Qty

Loc Code

ST307

1862

123900

934

M127410

11

M127831

41

M128401

42

M128754

834

MA-1307-9

MS24694-S51 Purchased No

110 Each

278.0000 36 36

MS24694-S51

DAS
46
9-89

Screw

**

Location

Loc Qty

Loc Code

ST293

278

m127432

1

m130238

77

m130325

200

MA-1307-9

NOV 27 2014

Tuesday, October 07, 2014 10:34:35 AM

Shop Packet Print

Page 7

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">Skid-tube ☐</td> <td style="width: 25%;">Crosstube ☐</td> <td style="width: 25%;">Water Jet ☐</td> <td style="width: 25%;">Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Tuesday, October 07, 2014 10:34:35 AM

Page 8

Work Order ID: 125071

Parent Item: D139-816-011

Parent Item Name: Lightweight Interior Ceiling Panel

125071

D139-816-011

Start Date: 10/21/14

Required Date: 10/31/14

Start Qty: 1.00

Required Qty: 1.00

MS27039-1-15

Purchased

No

110

Each

342.0000

21

21

MS27039-1-15

DAS

46

Screw

9-89

**

DAS
28
9-89

Location

Loc Qty

Loc Code

ST289

342

124326

12

m127916

330

21K

NAS1149D0316J

Purchased

No

110

Each

989.0000

5

5

NAS1149D0316J

DAS

46

Washer

9-89

**

DAS
28
9-89

Location

Loc Qty

Loc Code

CA

82

M129682

82

ST277

907

M127956

395

M127993

512

5x

NAS1149D0332J

Purchased

No

110

Each

3,342.000

34

34

NAS1149D0332J

DAS

46

Washer

9-89

**

NOV 27 2014

DAS
28
9-89

Location

Loc Qty

Loc Code

CA

39

m129682

39

ST276

3303

m128606

26

m128612

1096

m129624

181

m130325

2000

34x

DAS
28
9-89

Tuesday, October 07, 2014 10:34:35 AM

Shop Packet Print

Page 8

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Tuesday, October 07, 2014 10:34:35 AM

Page 9

Work Order ID: 125071

125071

Parent Item: D139-816-011

D139-816-011

Parent Item Name: Lightweight Interior Ceiling Panel

Start Date: 10/21/14

Required Date: 10/31/14

Start Qty: 1.00

Required Qty: 1.00

NAS1149D0663J

Purchased

No

110

Each

991.0000

6 6

NAS1149D0663J DAS

Washer

46

9-89

Location

Loc Qty

Loc Code

ST276

991

123265

4

M126284

3

M126334

699

M127813

35

M127916

12

M128818

37

M129913

201

**

DAS
26
9-89

DAS
26
9-89

CB200

Purchased

No

110

Each

59.0000

3 3

CB200 DAS

Acrylic Adhesive, 3.5G

46

9-89

Location

Loc Qty

Loc Code

CA

59

m129452

18

m129520

21

m130482

20

**

130685x11

DAS
26
9-89

DAS
26
9-89

CS125-1032-8AACR

Purchased

No

110

Each

70.0000

2 2

CS125-1032-8AACR DAS

Stud

46

9-89

Location

Loc Qty

Loc Code

ST264

64

M130277

64

ST283

6

M127974

6

**

DAS

26

9-89

NOV 27 2014

DAS

26

9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">Skid-tube ☐</td> <td style="width: 25%;">Crosstube ☐</td> <td style="width: 25%;">Water Jet ☐</td> <td style="width: 25%;">Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Page 10

Tuesday, October 07, 2014 10:34:35 AM

Work Order ID: 125071

125071

Parent Item: D139-816-011

D139-816-011

Parent Item Name: Lightweight Interior Ceiling Panel

Start Date: 10/21/14

Required Date: 10/31/14

Start Qty: 1.00

Required Qty: 1.00

D5078-1

Manufactured No

110

Each

5.0000

D5078-1

Bracket

DAS
46
9-89

Location

Loc Qty

Loc Code

ST131

5

5

**

B7254551 SP

TX

DAS
06
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%; font-size: small;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design ☐									
Doc/Data ☐									
Equip/Tooling ☐									
Handling/Pre ☐									
Material ☐									
Operator ☐									
Offset/Setup ☐									
Process ☐									
Supplier ☐									
Training ☐									
Transport ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

DART SERVICE INSTRUCTION

TO AMEND IIN-D139-816 REV. D OR SUBSEQUENT
AND ICA-D139-816 REV. 3 OR SUBSEQUENT

REF. TCCA STC: SH12-54

REF. FAA STC: SR03251NY

REF. EASA STC: 10045158

1.0 PURPOSE

The purpose of this Dart Service Instruction (DSI) is to provide an alternate method of installing the D139-816-011 Interior Ceiling Panel Kit for customers with newer 300 series aircraft models with split center ceiling panels.

2.0 PROCEDURE

This procedure modifies step 3.1.7 of IIN-D139-816 Rev. D.

2.1 Position the D4634-041/-043/-045 center panels onto the p/n E4417F01 cabin isolation mounts using $\varnothing 0.25"$ (6 mm) holes in the panels. Identify those mounts that do not align with holes in the panels. Ensure that a gap between the D4634-041/-043/-045 panels of approximately 0.050" (1.3 mm) is maintained.

2.2 Remove extra and non-aligning cabin isolation mounts from the ceiling. Temporarily install the removed mounts into non-align holes in the panels and paint mark the back of the E4417F01 mounts. Position the D4634-041/-043/-045 center panels onto p/n E4417F01 cabin isolation mounts. Ensure the new mount locations get marked in the cabin roof. Remove panels keeping the mounts on the panels.

2.3 Remove ceiling insulation from aircraft ceiling at the new marked mount locations.

2.4 Apply a small amount of CB 200 Click Bond adhesive to the E4417F01 cabin isolation mounts that are being relocated.

2.5 Reposition the ceiling panels on the ceiling pressing the E4417F01 cabin isolation mounts firmly on the ceiling and holding in position until the adhesive cures enough to remove the screws from the mount.

2.6 Install the necessary rivets to re-fasten the E4417F01 cabin isolation mounts to the ceiling.

2.7 Continue the ceiling panel installation as indicated in the IIN-D139-816.

3.0 GENERAL NOTE

3.1 Due to the thermoforming process variations in material thickness may occur. It is acceptable to install longer or shorter Dzus fasteners as required to accomodate this material variation.

4.0 WEIGHT & BALANCE

This DSI has a negligible effect on Weight & Balance.

5.0 PARTS LIST

For D139-816-011 & CHG 005 and later, the following parts have been added to the kits.

QTY. -011	PART NUMBER	DESCRIPTION
X	D139-816-011	INTERIOR CEILING PANEL KIT
3	CB 200	3.5g ACRYLIC ADHESIVE

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 14.03.24
CERT. NO.: SH12-54
ISSUE NO.: 1

A	NEW ISSUE	RF	14.03.24
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9686	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		ALTERNATE INSTALLATION	NTS
DATE	14.03.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

14-10-07
ML5
NO 125091
WORK ORDER
WITHOUT NOTICE
SUBJECT TO AMENDMENT
UNCONTROLLED COPY
ENGINEERING
RETURN TO

SHOP COPY

DART SERVICE INSTRUCTION

TO AMEND IIN-D139-816 REV. D OR SUBSEQUENT
AND ICA-D139-816 REV. 3 OR SUBSEQUENT

REF. TCCA STC: SH12-54
REF. FAA STC: SR03251NY
REF. EASA STC: 10045158

1.0 PURPOSE

The purpose of this Dart Service Instruction (DSI) is to provide instructions to install the D5078-1 Bracket to support the Overhead Connector for D139-811-011 Interior Ceiling Panel Kit.

2.0 PROCEDURE

This procedure is added after step 3.1.39 of IIN-D139-816 Rev. D.

- 2.1 Position the D5078-1 Bracket on the LH side of the cabin overhead by temporarily removing 2x MS27039-1 screws as shown in Figure 1. Transfer 2x $\varnothing 0.204$ " (#6 drill) holes from airframe to the D5078-1 Bracket. Deburr and touch-up holes with MIL-P-85582 or MIL-P-23377 primer.
- 2.2 Install D5078-1 Bracket using existing 2x MS27039-1 screws and washers as shown in Figure 1.
- 2.3 Install overhead cannon plug in the D5078-1 Bracket using existing NAS1801/1802 screws and existing AS85049/95-20A-A Perimeter Mounting Flange as shown in Figure 2.
- 2.4 Reconnect wire harness to overhead cannon plug as shown in Figure 2.

4.0 WEIGHT & BALANCE

This DSI has a negligible effect on Weight & Balance.

5.0 PARTS LIST

The D5078-1 bracket has been added to D139-816-011 Kits at CHG 005 and later. Customers who wish to obtain the D5078-1 Bracket for a kit that has already been installed can procure the DSI 9691-011 kit from Dart as outlined below.

QTY. -011	PART NUMBER	DESCRIPTION
X	DSI 9691-011	BRACKET KIT
1	D5078-1	BRACKET

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 14.03.24
CERT. NO.: SH12-54
ISSUE NO.: 1

A	NEW ISSUE	RF	14.03.24
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9691	SHEET 1 OF 2
APPROVED		TITLE	SCALE
DE APPR.		BRACKET INSTALLATION	NTS
DATE	14.03.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




Figure 1. - LH Side Overhead Panel




Figure 2. - D5078-1 Bracket Installation

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9691	SHEET 2 OF 2
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BRACKET INSTALLATION	NTS
DATE	14.03.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

JAN 30 2015

DAS

46

9-89

5.0 PARTS LIST

Qty -011	Part Number	Description
X	D139-816-011	INTERIOR CEILING PANEL KIT
1	D4634-041	FWD, CENTER CEILING PANEL ASSEMBLY
1	D4634-141	** FWD, CENTER CEILING REPLACEMENT PANEL ASSEMBLY
1	D4634-043	MIDDLE, CENTER CEILING PANEL ASSEMBLY
1	D4634-143	** MIDDLE, CENTER CEILING REPLACEMENT PANEL ASSEMBLY
1	D4634-045	AFT, CENTER CEILING PANEL ASSEMBLY
1	D4634-145	* AFT, CENTER CEILING REPLACEMENT PANEL ASSEMBLY
1	D4635-041	LH, FWD CEILING PANEL ASSEMBLY
1	D4635-141	* LH, FWD CEILING REPLACEMENT PANEL ASSEMBLY
1	D4635-042	RH, FWD CEILING PANEL ASSEMBLY
1	D4635-142	* RH, FWD CEILING REPLACEMENT PANEL ASSEMBLY
1	D4635-043	LH, AFT CEILING PANEL ASSEMBLY
1	D4635-143	* LH, AFT CEILING REPLACEMENT PANEL ASSEMBLY
1	D4635-044	RH, AFT CEILING PANEL ASSEMBLY
1	D4635-144	* RH, AFT CEILING REPLACEMENT PANEL ASSEMBLY
16	D4636-043	RECEPTACLE BRACKET ASSEMBLY
10	D4636-11	BRACKET
16	D4636-5	BRACKET
4	D4636-7	RETAINER PLATE
1	D4636-9	TEMPLATE
1	D4648-1	TEMPLATE
6	D4653-041	VENT MANIFOLD ASSEMBLY
6	D4653-11	CLAMP
3	D4664-7	SPACER
2	D4712-043	BRACKET ASSEMBLY
2	D4716-1	DUCT HOSE
4	D4716-3	DUCT HOSE
6	D4716-5	DUCT HOSE
1	D4728-057	HARNESS ASSEMBLY
1	D4728-063	HARNESS ASSEMBLY
24	D4730-020-035	VELCRO STRIP
16	D5032-1	DOUBLER
16	D5032-3	DOUBLER
16	2351-20-21-C3C	DZUS SCREW
16	50-009-2	GROMMET
10	AN970-3	WASHER
24	BT1.5I-M	TIE WRAP
12	BT3LH-L	TIE WRAP
1	CB 200	3.5g ACRYLIC ADHESIVE
2	CS125-1032-8-AA-CR	STUD (or CS125-1032-8-AA-CRM)
35	MS21042L3	NUT
36	MS24694-S51	SCREW
21	MS27039-1-15	SCREW
5	NAS1149D0316J	WASHER (or AN960JD10L)
34	NAS1149D0332J	WASHER (or AN960JD10)
6	NAS1149D0663J	WASHER (or AN960JD616)

NOTES:

(*) DENOTES THAT PART IS INCLUDED WITH ASSEMBLY ABOVE
D4634-141/-143/-145 ARE REPLACEMENT PANELS
D4635-141/-142/-143/-144 ARE REPLACEMENT PANELS

• COPYRIGHT © 2012 BY DART AEROSPACE LTD. •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: D

Date: 13.12.16

DART SERVICE INSTRUCTION

TO AMEND IIN-D139-816 REV. D OR SUBSEQUENT
AND ICA-D139-816 REV. 3 OR SUBSEQUENT

REF. TCCA STC: SH12-54

REF. FAA STC: SR03251NY

REF. EASA STC: 10045158

1.0 PURPOSE

The purpose of this Dart Service Instruction (DSI) is to provide an alternate method of installing the D139-816-011 Interior Ceiling Panel Kit for customers with newer 300 series aircraft models with split center ceiling panels.

2.0 PROCEDURE

This procedure modifies step 3.1.7 of IIN-D139-816 Rev. D.

- 2.1 Position the D4634-041/-043/-045 center panels onto the p/n E4417F01 cabin isolation mounts using $\varnothing 0.25"$ (6 mm) holes in the panels. Identify those mounts that do not align with holes in the panels. Ensure that a gap between the D4634-041/-043/-045 panels of approximately 0.050" (1.3 mm) is maintained.
- 2.2 Remove extra and non-aligning cabin isolation mounts from the ceiling. Temporarily install the removed mounts into non-align holes in the panels and paint mark the back of the E4417F01 mounts. Position the D4634-041/-043/-045 center panels onto p/n E4417F01 cabin isolation mounts. Ensure the new mount locations get marked in the cabin roof. Remove panels keeping the mounts on the panels.
- 2.3 Remove ceiling insulation from aircraft ceiling at the new marked mount locations.
- 2.4 Apply a small amount of CB 200 Click Bond adhesive to the E4417F01 cabin isolation mounts that are being relocated.
- 2.5 Reposition the ceiling panels on the ceiling pressing the E4417F01 cabin isolation mounts firmly on the ceiling and holding in position until the adhesive cures enough to remove the screws from the mount.
- 2.6 Install the necessary rivets to re-fasten the E4417F01 cabin isolation mounts to the ceiling.
- 2.7 Continue the ceiling panel installation as indicated in the IIN-D139-816.

3.0 GENERAL NOTE

- 3.1 Due to the thermoforming process variations in material thickness may occur. It is acceptable to install longer or shorter Dzus fasteners as required to accommodate this material variation.

4.0 WEIGHT & BALANCE

This DSI has a negligible effect on Weight & Balance.

5.0 PARTS LIST

For D139-816-011 & CHG 005 and later, the following parts have been added to the kits.

QTY. -011	PART NUMBER	DESCRIPTION
X-	D139-816-011	INTERIOR CEILING PANEL KIT
3	CB.200	3.5g ACRYLIC ADHESIVE

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 14.03.24
CERT. NO.: SH12-54
ISSUE NO.: 1

A	NEW ISSUE	RF	14.03.24
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9686	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		ALTERNATE INSTALLATION	NTS
DATE	14.03.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

JAN 30 2015

DART SERVICE INSTRUCTIONTO AMEND IIN-D139-816 REV. D OR SUBSEQUENT
AND ICA-D139-816 REV. 3 OR SUBSEQUENT

REF. TCCA STC: SH12-54

REF. FAA STC: SR03251NY

REF. EASA STC: 10045158

1.0 PURPOSE

The purpose of this Dart Service Instruction (DSI) is to provide instructions to install the D5078-1 Bracket to support the Overhead Connector for D139-811-011 Interior Ceiling Panel Kit.

2.0 PROCEDURE

This procedure is added after step 3.1.39 of IIN-D139-816 Rev. D.

- 2.1 Position the D5078-1 Bracket on the LH side of the cabin overhead by temporarily removing 2x MS27039-1 screws as shown in Figure 1. Transfer 2x $\varnothing 0.204$ " (#6 drill) holes from airframe to the D5078-1 Bracket. Deburr and touch-up holes with MIL-P-85582 or MIL-P-23377 primer.
- 2.2 Install D5078-1 Bracket using existing 2x MS27039-1 screws and washers as shown in Figure 1.
- 2.3 Install overhead cannon plug in the D5078-1 Bracket using existing NAS1801/1802 screws and existing AS85049/95-20A-A Perimeter Mounting Flange as shown in Figure 2.
- 2.4 Reconnect wire harness to overhead cannon plug as shown in Figure 2.

4.0 WEIGHT & BALANCE

This DSI has a negligible effect on Weight & Balance.

5.0 PARTS LIST

The D5078-1 bracket has been added to D139-816-011 Kits at CHG 005 and later. Customers who wish to obtain the D5078-1 Bracket for a kit that has already been installed can procure the DSI 9691-011 kit from Dart as outlined below.

QTY. -011	PART NUMBER	DESCRIPTION
X	DSI 9691-011	BRACKET KIT
1	D5078-1	BRACKET

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)DATE: 14.03.24
CERT. NO.: SH12-54
ISSUE NO.: 1

A	NEW ISSUE	RF	14.03.24
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9691	SHEET 1 OF 2
APPROVED		TITLE	SCALE
DE APPR.		BRACKET INSTALLATION	NTS
DATE	14.03.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	